


Las siguientes medidas son solo una muestra de todas nuestras posibilidades de fabricación.

### ÁNGULOS CON LADOS **IGUALES**

A mm	e mm	S cm <sup>2</sup>	Weight Kg/ml	I <sub>xx</sub> cm <sup>4</sup>	W <sub>xx</sub> cm <sup>3</sup>	i <sub>x</sub> cm
40	2,0	1,53	1,20	2,44	0,84	1,27
40	3,0	2,26	1,76	3,52	1,23	1,20
50	2,0	1,93	1,51	4,87	1,33	1,60
50	3,0	2,84	2,28	7,03	1,95	1,57
60	2,0	2,43	1,83	8,02	2,07	1,70
60	3,0	3,43	2,70	12,32	2,83	1,90
60	4,0	4,54	3,55	16,07	3,72	1,97
80	2,0	3,13	2,45	20,44	3,46	2,55
80	3,0	4,65	3,62	30,01	5,12	2,54
80	4,0	6,13	4,77	39,16	6,73	2,52



### ÁNGULOS CON LADOS **DESIGUALES**

LENGTH		e	S	Weight	I <sub>xx</sub>	I <sub>yy</sub>	W <sub>xx</sub>	W <sub>yy</sub>	i <sub>x</sub>	i <sub>y</sub>
A	B	mm	cm <sup>2</sup>	Kg/ml	cm <sup>4</sup>	cm <sup>4</sup>	cm <sup>3</sup>	cm <sup>3</sup>	cm	cm
40	20	2,0	1,12	0,88	1,90	0,34	0,21	0,74	1,30	0,5
50	25	2,5	1,76	1,34	4,63	0,83	0,42	1,45	1,62	0,6
60	40	2,0	1,92	1,51	7,41	2,75	0,88	1,81	1,96	1,1
60	40	3,0	2,83	2,22	10,74	3,97	1,29	2,65	1,94	1,1
80	50	2,0	2,53	1,97	17,50	5,57	3,21	1,41	2,63	1,4
80	50	3,0	3,75	2,92	25,60	8,10	4,75	2,07	2,61	1,4
100	50	2,0	2,93	2,29	31,94	5,88	4,86	1,44	3,30	1,4
100	50	3,0	4,35	3,39	46,89	8,56	7,20	2,11	3,28	1,4
120	60	2,0	3,73	2,76	58,64	15,83	7,23	2,81	3,96	2,0
120	60	3,0	5,55	4,09	86,49	23,24	10,73	4,16	3,94	2,0

